

Table A. - Acreage and Proportionate Extent of the Soils

Albemarle County, Virginia

Map Symbol	Soil Name	Acres	Percent
1B	Abell silt loam, 2 to 7 percent slopes	580	0.1
2B	Albemarle fine sandy loam, 2 to 7 percent slopes	400	*
2C	Albemarle fine sandy loam, 7 to 15 percent slopes	980	0.2
2D	Albemarle fine sandy loam, 15 to 25 percent slopes	670	0.1
3C	Albemarle very stony fine sandy loam, 7 to 15 percent slopes	410	*
3D	Albemarle very stony fine sandy loam, 15 to 25 percent slopes	570	0.1
3E	Albemarle very stony fine sandy loam, 25 to 45 percent slopes	250	*
4B	Ashe loam, 2 to 7 percent slopes	210	*
4C	Ashe loam, 7 to 15 percent slopes	1,230	0.3
4D	Ashe loam, 15 to 25 percent slopes	9,420	2.0
4E	Ashe loam, 25 to 45 percent slopes	14,080	3.0
5B	Belvoir loam, 2 to 7 percent slopes	900	0.2
6	Bermudian silt loam	350	*
7B	Braddock loam, 2 to 7 percent slopes	6,180	1.3
7C	Braddock loam, 7 to 15 percent slopes	3,740	0.8
7D	Braddock loam, 15 to 25 percent slopes	390	*
8C3	Braddock clay loam, 7 to 15 percent slopes, severely eroded	570	0.1
9B	Braddock very stony loam, 2 to 7 percent slopes	270	*
9C	Braddock very stony loam, 7 to 15 percent slopes	580	0.1
9D	Braddock very stony loam, 15 to 25 percent slopes	410	*
10	Buncombe loamy sand	1,040	0.2
11D	Cataska-hartleton very stony loams, 15 to 25 percent slopes	610	0.1
11E	Cataska-hartleton very stony loams, 25 to 60 percent slopes	3,500	0.8
12C	Catoctin silt loam, 7 to 15 percent slopes	720	0.2
12D	Catoctin silt loam, 15 to 25 percent slopes	1,370	0.3
12E	Catoctin silt loam, 25 to 45 percent slopes	1,320	0.3
13C	Catoctin very stony silt loam, 7 to 15 percent slopes	550	0.1
13D	Catoctin very stony silt loam, 15 to 25 percent slopes	950	0.2
13E	Catoctin very stony silt loam, 25 to 45 percent slopes	2,860	0.6
14B	Chester loam, 2 to 7 percent slopes	1,220	0.3
14C	Chester loam, 7 to 15 percent slopes	5,380	1.2
14D	Chester loam, 15 to 25 percent slopes	6,440	1.4
14E	Chester loam, 25 to 45 percent slopes	2,950	0.6
15C	Chester very stony loam, 7 to 15 percent slopes	1,630	0.4
15D	Chester very stony loam, 15 to 25 percent slopes	4,550	1.0
15E	Chester very stony loam, 25 to 45 percent slopes	10,860	2.3
16	Chewacla silt loam	5,210	1.1
17	Craigsville loam	2,110	0.5
18B	Creedmoor loam, 2 to 7 percent slopes	670	0.1
19B	Cullen loam, 2 to 7 percent slopes	4,690	1.0
19C	Cullen loam, 7 to 15 percent slopes	4,030	0.9
19D	Cullen loam, 15 to 25 percent slopes	1,410	0.3
20B3	Cullen clay loam, 2 to 7 percent slopes, severely eroded	270	*
20C3	Cullen clay loam, 7 to 15 percent slopes, severely eroded	1,760	0.4
20D3	Cullen clay loam, 15 to 25 percent slopes, severely eroded	1,140	0.2
21B	Culpeper fine sandy loam, 2 to 7 percent slopes	1,760	0.4
21C	Culpeper fine sandy loam, 7 to 15 percent slopes	1,530	0.3
21D	Culpeper fine sandy loam, 15 to 25 percent slopes	270	*
22C3	Culpeper clay loam, 7 to 15 percent slopes, severely eroded	300	*
23B	Davidson clay loam, 2 to 7 percent slopes	2,340	0.5

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Albemarle County, Virginia

Map Symbol	Soil Name	Acres	Percent
23C	Davidson clay loam, 7 to 15 percent slopes	1,200	0.3
24B	Dogue silt loam, 2 to 7 percent slopes	940	0.2
25B	Dyke silt loam, 2 to 7 percent slopes	4,230	0.9
25C	Dyke silt loam, 7 to 15 percent slopes	1,300	0.3
26B3	Dyke clay loam, 2 to 7 percent slopes, severely eroded	280	*
26C3	Dyke clay loam, 7 to 15 percent slopes, severely eroded	1,210	0.3
26D3	Dyke clay loam, 15 to 25 percent slopes, severely eroded	470	0.1
27B	Elioak loam, 2 to 7 percent slopes	8,710	1.9
27C	Elioak loam, 7 to 15 percent slopes	7,110	1.5
27D	Elioak loam, 15 to 25 percent slopes	1,160	0.2
28C3	Elioak clay loam, 7 to 15 percent slopes, severely eroded	810	0.2
28D3	Elioak clay loam, 15 to 25 percent slopes, severely eroded	250	*
29B	Fauquier silt loam, 2 to 7 percent slopes	1,300	0.3
29C	Fauquier silt loam, 7 to 15 percent slopes	1,670	0.4
29D	Fauquier silt loam, 15 to 25 percent slopes	1,120	0.2
29E	Fauquier silt loam, 25 to 45 percent slopes	470	0.1
30C3	Fauquier silty clay loam, 7 to 15 percent slopes, severely eroded	440	*
30D3	Fauquier silty clay loam, 15 to 25 percent slopes, severely eroded	200	*
31C	Fauquier very stony silt loam, 7 to 15 percent slopes	500	0.1
31D	Fauquier very stony silt loam, 15 to 25 percent slopes	600	0.1
32B	Fluvanna silt loam, 2 to 7 percent slopes	700	0.2
32C	Fluvanna silt loam, 7 to 15 percent slopes	580	0.1
33C	Fluvanna very stony silt loam, 7 to 15 percent slopes	420	*
34B	Glenelg loam, 2 to 7 percent slopes	1,270	0.3
34C	Glenelg loam, 7 to 15 percent slopes	5,150	1.1
34D	Glenelg loam, 15 to 25 percent slopes	4,780	1.0
34E	Glenelg loam, 25 to 45 percent slopes	850	0.2
35C	Hartleton-cataska very stony loams, 7 to 15 percent slopes	500	0.1
36B	Hayesville loam, 2 to 7 percent slopes	15,700	3.4
36C	Hayesville loam, 7 to 15 percent slopes	15,020	3.2
36D	Hayesville loam, 15 to 25 percent slopes	5,130	1.1
36E	Hayesville loam, 25 to 45 percent slopes	470	0.1
37B3	Hayesville clay loam, 2 to 7 percent slopes, severely eroded	450	*
37C3	Hayesville clay loam, 7 to 15 percent slopes, severely eroded	6,400	1.4
37D3	Hayesville clay loam, 15 to 25 percent slopes, severely eroded	5,030	1.1
37E3	Hayesville clay loam, 25 to 45 percent slopes, severely eroded	290	*
38C	Hayesville very stony loam, 7 to 15 percent slopes	1,400	0.3
38D	Hayesville very stony loam, 15 to 25 percent slopes	1,450	0.3
38E	Hayesville very stony loam, 25 to 45 percent slopes	860	0.2
39C	Hazel loam, 7 to 15 percent slopes	770	0.2
39D	Hazel loam, 15 to 25 percent slopes	4,550	1.0
39E	Hazel loam, 25 to 45 percent slopes	4,530	1.0
40D	Hazel very stony loam, 15 to 25 percent slopes	910	0.2
40E	Hazel very stony loam, 25 to 45 percent slopes	3,710	0.8
41B	Hiwassee loam, 2 to 7 percent slopes	1,480	0.3
41C	Hiwassee loam, 7 to 15 percent slopes	380	*
42B3	Hiwassee clay loam, 2 to 7 percent slopes, severely eroded	280	*
42C3	Hiwassee clay loam, 7 to 15 percent slopes, severely eroded	630	0.1
42D3	Hiwassee clay loam, 15 to 25 percent slopes, severely eroded	220	*
43B	Klinesville channery silt loam, 2 to 7 percent slopes	220	*

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Albemarle County, Virginia

Map Symbol	Soil Name	Acres	Percent
43C	Klinesville channery silt loam, 7 to 15 percent slopes	1,280	0.3
43D	Klinesville channery silt loam, 15 to 25 percent slopes	1,500	0.3
43E	Klinesville channery silt loam, 25 to 45 percent slopes	610	0.1
44C	Lew very stony silt loam, 7 to 15 percent slopes	1,030	0.2
44D	Lew very stony silt loam, 15 to 25 percent slopes	1,120	0.2
45C	Lew extremely stony silt loam, 7 to 15 percent slopes	660	0.1
45D	Lew extremely stony silt loam, 15 to 25 percent slopes	520	0.1
46B	Lignum silt loam, 2 to 7 percent slopes	1,820	0.4
47C	Louisburg sandy loam, 7 to 15 percent slopes	500	0.1
47D	Louisburg sandy loam, 15 to 25 percent slopes	1,170	0.3
47E	Louisburg sandy loam, 25 to 45 percent slopes	470	0.1
48D	Louisburg very stony sandy loam, 15 to 25 percent slopes	300	*
48E	Louisburg very stony sandy loam, 25 to 45 percent slopes	1,330	0.3
49B	Manassas silt loam, 2 to 7 percent slopes	730	0.2
50D	Manor loam, 15 to 25 percent slopes	290	*
50E	Manor loam, 25 to 45 percent slopes	270	*
51B	Manteo channery silt loam, 2 to 7 percent slopes	5,990	1.3
51C	Manteo channery silt loam, 7 to 15 percent slopes	13,030	2.8
51D	Manteo channery silt loam, 15 to 25 percent slopes	10,410	2.2
51E	Manteo channery silt loam, 25 to 45 percent slopes	2,700	0.6
52D	Manteo very channery silt loam, 15 to 25 percent slopes	940	0.2
52E	Manteo very channery silt loam, 25 to 45 percent slopes	980	0.2
53B	Masada loam, 2 to 7 percent slopes	840	0.2
53C	Masada loam, 7 to 15 percent slopes	390	*
54B	Mayodan loam, 2 to 7 percent slopes	490	0.1
54C	Mayodan loam, 7 to 15 percent slopes	180	*
55B	Mcqueen loam, 2 to 7 percent slopes	1,050	0.2
56B	Meadowville loam, 2 to 7 percent slopes	3,330	0.7
56C	Meadowville loam, 7 to 15 percent slopes	1,000	0.2
57B	Mount lucas silt loam, 2 to 7 percent slopes	1,110	0.2
58B	Myersville silt loam, 2 to 7 percent slopes	1,210	0.3
58C	Myersville silt loam, 7 to 15 percent slopes	2,160	0.5
58D	Myersville silt loam, 15 to 25 percent slopes	1,740	0.4
58E	Myersville silt loam, 25 to 45 percent slopes	880	0.2
59C	Myersville very stony silt loam, 7 to 15 percent slopes	770	0.2
59D	Myersville very stony silt loam, 15 to 25 percent slopes	2,520	0.5
59E	Myersville very stony silt loam, 25 to 45 percent slopes	5,740	1.2
60C	Myersville-catoctin very stony silt loams, 7 to 15 percent slopes	1,850	0.4
60D	Myersville-catoctin very stony silt loams, 15 to 25 percent slopes	3,560	0.8
60E	Myersville-catoctin very stony silt loams, 25 to 60 percent slopes	16,060	3.5
61D	Myersville-rock outcrop complex, 15 to 25 percent slopes	240	*
61E	Myersville-rock outcrop complex, 25 to 45 percent slopes	320	*
62B	Nason silt loam, 2 to 7 percent slopes	14,180	3.1
62C	Nason silt loam, 7 to 15 percent slopes	8,220	1.8
62D	Nason silt loam, 15 to 25 percent slopes	550	0.1
63B	Orange silt loam, 2 to 7 percent slopes	610	0.1
64B	Orange very stony silt loam, 2 to 7 percent slopes	380	*
65B	Pacolet sandy loam, 2 to 7 percent slopes	1,010	0.2
65C	Pacolet sandy loam, 7 to 15 percent slopes	810	0.2
66C	Parker very stony loam, 7 to 15 percent slopes	700	0.2

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Albemarle County, Virginia

Map Symbol	Soil Name	Acres	Percent
66D	Parker very stony loam, 15 to 25 percent slopes	2,320	0.5
66E	Parker very stony loam, 25 to 45 percent slopes	12,580	2.7
67D	Parker extremely stony loam, 15 to 25 percent slopes	550	0.1
67E	Parker extremely stony loam, 25 to 60 percent slopes	6,100	1.3
68B	Penn silt loam, 2 to 7 percent slopes	960	0.2
68C	Penn silt loam, 7 to 15 percent slopes	1,940	0.4
68D	Penn silt loam, 15 to 25 percent slopes	390	*
69	Pits, quarry	250	*
70C	Porters very stony loam, 7 to 15 percent slopes	210	*
70D	Porters very stony loam, 15 to 25 percent slopes	280	*
70E	Porters very stony loam, 25 to 45 percent slopes	1,800	0.4
71B	Rabun clay loam, 2 to 7 percent slopes	3,670	0.8
71C	Rabun clay loam, 7 to 15 percent slopes	6,150	1.3
71D	Rabun clay loam, 15 to 25 percent slopes	5,400	1.2
71E	Rabun clay loam, 25 to 45 percent slopes	1,340	0.3
72B3	Rabun clay, 2 to 7 percent slopes, severely eroded	1,130	0.2
72C3	Rabun clay, 7 to 15 percent slopes, severely eroded	4,540	1.0
72D3	Rabun clay, 15 to 25 percent slopes, severely eroded	2,320	0.5
72E3	Rabun clay, 25 to 45 percent slopes, severely eroded	240	*
73C	Rabun very stony clay loam, 7 to 15 percent slopes	540	0.1
73D	Rabun very stony clay loam, 15 to 25 percent slopes	2,060	0.4
73E	Rabun very stony clay loam, 25 to 45 percent slopes	1,220	0.3
74B	Rapidan silt loam, 2 to 7 percent slopes	1,400	0.3
74C	Rapidan silt loam, 7 to 15 percent slopes	870	0.2
74D	Rapidan silt loam, 15 to 25 percent slopes	280	*
75C3	Rapidan silty clay loam, 7 to 15 percent slopes, severely eroded	420	*
75D3	Rapidan silty clay loam, 15 to 25 percent slopes, severely eroded	400	*
76	Riverview loam	4,230	0.9
77	Riverview-chewacla complex	3,380	0.7
78	Rowland silt loam	460	*
79B	Starr silt loam, 2 to 7 percent slopes	4,230	0.9
80B	Tatum silt loam, 2 to 7 percent slopes	3,730	0.8
80C	Tatum silt loam, 7 to 15 percent slopes	1,100	0.2
81B	Thurmont loam, 2 to 7 percent slopes	1,960	0.4
81C	Thurmont loam, 7 to 15 percent slopes	2,560	0.6
81D	Thurmont loam, 15 to 25 percent slopes	460	*
82C	Thurmont very stony loam, 7 to 15 percent slopes	1,060	0.2
82D	Thurmont very stony loam, 15 to 25 percent slopes	790	0.2
83	Toccoa fine sandy loam	3,050	0.7
84B	Totier silt loam, 2 to 7 percent slopes	4,410	0.9
84C	Totier silt loam, 7 to 15 percent slopes	990	0.2
85C3	Totier silty clay loam, 7 to 15 percent slopes, severely eroded	380	*
86B	Turbeville loam, 2 to 7 percent slopes	850	0.2
86C	Turbeville loam, 7 to 15 percent slopes	350	*
87B	Tusquitee stony loam, 2 to 7 percent slopes	470	0.1
87C	Tusquitee stony loam, 7 to 15 percent slopes	970	0.2
87D	Tusquitee stony loam, 15 to 25 percent slopes	490	0.1
88	Udorthents, loamy	1,550	0.3
89B	Unison silt loam, 2 to 7 percent slopes	970	0.2
89C	Unison silt loam, 7 to 15 percent slopes	310	*

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Albemarle County, Virginia

Map Symbol	Soil Name	Acres	Percent
90B	Unison very stony silt loam, 2 to 7 percent slopes	580	0.1
90C	Unison very stony silt loam, 7 to 15 percent slopes	1,220	0.3
90D	Unison very stony silt loam, 15 to 25 percent slopes	250	*
91	Urban land	660	0.1
92	Wahee silt loam	690	0.1
93C	Watt channery silt loam, 7 to 15 percent slopes	270	*
93D	Watt channery silt loam, 15 to 25 percent slopes	270	*
93E	Watt channery silt loam, 25 to 45 percent slopes	400	*
94B	Wedowee sandy loam, 2 to 7 percent slopes	500	0.1
94C	Wedowee sandy loam, 7 to 15 percent slopes	850	0.2
95	Wehadkee silt loam	3,550	0.8
96B	Worsham loam, 2 to 7 percent slopes	1,450	0.3
W	Water	2,520	0.5
Total		464,600	100.0

* Less than 0.1 percent.